

Accessories Catalog Heating solutions

For Cars, Trucks, Light-duty Vehicles, Special Vehicles, Rail and Recreational Vehicles



2018



Dear Customers, dear Webasto Partners,

this Webasto catalog will give you an overview of the complete range of accessories for our current heating systems. On the following pages, you will find everything that you need for installing our heating systems, according to the type of vehicle, location and use. The mounting parts, test equipment and tools shown here are clearly laid out to enable you to find and order what you need quickly.


Together with the second accessory catalog for air-conditioning solutions and the product catalogue (showing the basic scope of delivery, installation kits and control units), this catalog will provide a comprehensive source of information so that you can work efficiently with our heating and cooling units.

**We wish you great success with our products,
Your Webasto Team**


Table of Contents

			Combustion Air Line
			Exhaust System
			Fuel System
Combustion Air Line		4	Hot Air System
Exhaust System		6	
Fuel System		11	Water System
Hot Air System		21	
Water System		31	Valve
Valve		38	Mounting Parts
Mounting Parts		41	
Electrical Accessories		49	Electrical Accessories
Maintenance and Diagnostics		63	Maintenance and Diagnostics

Combustion Air Line

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 90	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Order number
	Intake muffler pipe							
	Di = 22 mm, L = 800 mm, PAK, without penetration protection cap	■						1322455A
	Di = 25 mm, L = 650 mm, AK / PAKL, AK / PAKL, with penetration protection cap		■					1319924A
	Di = 30 mm, L = 1160 mm, PAK / PAKL, without penetration protection cap			■				1319607A
	Intake muffler							
	Da = 21 mm, L = 97 mm, black, plastic, with mounting base and installation instructions	■			■	■	■	98141A
	Air intake silencer							
	Da = 24.2 mm, L = 138 mm, plastic, complete with 300 mm flexible pipe, D1a = 24 mm		■					9025956A
	Combustion air elbow							
	plastic							
	Di = 22 mm	■			■	■	■	1320144A
	Di = 25 mm		■					1320278A
	Flexible exhaust pipe							
	Di = 30 mm, Da = 34 mm, stainless steel							
	L = 3000 mm			■				1321494A
	L = 5000 mm			■				1321495A
	L = 10000 mm			■				1321496A
	L = 20000 mm			■				1321493A

Combustion Air Line

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 90	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Order number
	Flexible pipe							
	Di = 18 mm, L = 1000 mm, APGA-A				■	■		1319593A
	Di = 30 mm, L = 5000 mm, KAK			■				1321510A
	Di = 30 mm, L = 20000 mm, KAK			■				1321509A
	Di = 22 mm, L = 10000 mm, PAK	■				■	■	1321566A
	Di = 22 mm, L = 20000 mm, PAK	■				■	■	1321565A
	Di = 25 mm, L = 5000 mm, PAK	■	■			■	■	1321587A
	Di = 25 mm, L = 10000 mm, PAK		■					1321588A
	Di = 25 mm, L = 20000 mm, PAK		■					1321586A
	Di = 30 mm, L = 5000 mm, PAK			■				1321557A
	Di = 30 mm, L = 10000 mm, PAK			■				1321558A
	Di = 30 mm, L = 20000 mm, PAK			■				1321542A
	Protection cap							
	plastic							
	Di = 27 mm	■						1320257A
	Di = 36 mm		■	■				1321067A
	Di = 39 mm			■				1320258A



Exhaust System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Top Evo	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Pro 90	DBW 2010/2016	Order number
	Condensate drain										
	L = 128 mm, copper, with mounting parts, for exhaust connecting pipe 1319935A	■	■	■	■						92621A
	End fixing kit										
						■					1317567A
	Exhaust deflector										
	Di = 67 mm, Da = 86 mm, H = 62 mm						■	■			1320436A
	Hot air elbow										
	Di = 71 mm, Da = 67 mm, L = 170 mm, W = 85 mm, painted, 90°						■	■			1319441A
	Exhaust elbow										
	Di = 24 mm, Da = 24 mm, L = 110 mm, stainless steel, without condensate drain		■								1320383A

Exhaust System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Top Evo	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Pro 90	DBW 2010/2016	Order number
	Exhaust elbow										
	Di = 22 mm, Da = 22 mm, L = 65 mm, aluminium, without condensate drain	■									1320117A
	Exhaust elbow										
	Di = 24 mm, Da = 24 mm, L = 110 mm, stainless steel, with condensate drain		■								1320378A
	Exhaust muffler										
	Da = 22 mm, L = 179 mm, W = 45 mm, stainless steel	■		■	■	■					1320910A
	Exhaust muffler										
	L = 170 mm, W = 85 mm, H = 45 mm										
	Da = 22 mm, stainless steel	■		■	■	■					1320895A
	Da = 22 mm, steel, zinc powder paint surface protection for temperatures up to 650 °C	■		■	■	■					1320841A
	Da = 24 mm, steel, zinc powder paint surface protection for temperatures up to 650 °C		■								1320372A
	Exhaust muffler										
	Da = 38 mm, L = 206 mm, W = 57 mm, steel, surface protection zinc powder paint for temperatures up to 600 °C								■	■	1320840A

Exhaust System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Top Evo	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Pro 90	DBW 2010/2016	Order number
	Exhaust muffler										
	Da = 38 mm, L = 270 mm, W = 130 mm, stainless steel	■		■	■	■				■	1321397A
	Exhaust muffler										
	Di = 38 mm, L = 1000 mm, Outside with partial fiberglass insulation									■	1321823A
	Exhaust pipe reducer sleeve										
	Di = 22 mm, Da = 24 mm, L = 40 mm, stainless steel	■									1320382A
	Flexible heat protection pipe										
	L = 10000 mm										
	Di = 28 mm, GA-A (aluminium foil and aluminium coated glass fabric)	■		■	■	■					1321601A
	Di = 45 mm, GA2-A (aluminium and aluminium coated glass fabric)	■	■	■	■	■			■	■	1321602C
	Flexible pipe										
	stainless steel										
	Di = 22 mm, Da = 26 , L = 1000 mm, with end cap	■		■	■	■					1322414A
	Di = 24 mm, Da = 28 mm, L = 10000 mm		■								1321523A
	Di = 38 mm, Da = 41 mm, L = 20000 mm								■	■	1321539A
	Di = 38 mm, Da = 41 , L = 5000 mm								■	■	1321540A
	Di = 41 mm, Da = 38 mm, L = 10000 mm								■	■	1321541A
	Di = 70 mm, Da = 73.6 , L = 10000 mm						■	■			1321567A
	Di = 70 mm, Da = 70 mm, L = 5000 mm						■	■			1321568A


Exhaust System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Top Evo	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Pro 90	DBW 2010/2016	Order number
	Insulating sleeve										
	L = 120 mm, W = 108 mm, glass fabric, for exhaust mufflers 1320841A and 1320895A	■	■	■	■	■					1320848A
	Insulating tape										
	L = 50000 mm, W = 60 mm, white, E-glass, usage temperature 450 °C, 550 °C for short periods, 2 mm thick	■	■	■	■				■	■	1320357A
	Flexible heat protection pipe										
	Di = 28 mm, Da = 38 mm, L = 324 mm, with cover, non-flammable, interior resistant to temperatures up to 500 °C	■		■	■	■					1319670A
	Protection cap										
	L = 17 mm, stainless steel, for flexible exhaust pipe										
	Di = 26 mm	■		■	■	■					1320109A
	Di = 28 mm		■								1320217A
	Di = 42 mm								■	■	1321753A
	Heat protection hose										
	Di = 70 mm, Da = 120 mm, L = 1850 mm, fiberglass	■	■	■	■	■			■	■	1320830A


Exhaust System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Top Evo	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Pro 90	DBW 2010/2016	Order number
	Spacer										
	Di = 25 mm, Da = 48 mm, W = 21 mm, for flexible pipe	■		■	■	■					1317843A
	Exhaust connecting pipe										
	Da = 24 mm, L = 65 mm, steel, with anti-corrosion protection and condensate drain		■								1319935A
	Da = 24 mm, L = 50 mm, stainless steel, without condensate drain		■								1319937A
	Da = 38 mm, L = 65 mm, stainless steel, with condensate drain, for exhaust mufflers 1320841A and 1320895A								■		1320959A


Fuel System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Anti-vibration mount										
	L = 53 mm, M6, not suitable for fastening heaters	■	■	■	■	■	■				1320270A
	Banjo										
	L = 10 mm, steel zinc coated										
	Di = 10 mm, Da = 5 mm							■	■	■	1320747A
	Di = 10 mm, Da = 6 mm							■	■	■	1321062A
	Di = 12 mm, Da = 6 mm							■	■	■	1319355A
	Banjo bolt										
	L = 25 mm, steel zinc coated, M10 x 1 connection thread							■	■	■	1320999A
	Connecting pipe										
	Da = 8 mm, L = 56 mm, plastic, VOME-resistant, bag of 10 pieces							■	■	■	1321079A
	Mini Jacket fuel pump protector										
	Protection device for fuel pumps with mufflers, required by ISO 7840 if the fuel system is installed in engine rooms	■	■	■	■	■	■				1319522A



Fuel System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Flexible heat protection pipe										
	GA-A (aluminium foil and aluminium coated glass fabric)										
	Di = 14.5 mm, Da = 16.5 mm, L = 20000 mm	■	■	■	■	■	■				1321584B
	Di = 14.5 mm, Da = 16.5 mm, L = 5000 mm	■	■	■	■	■	■				1321585B
	Di = 28 mm, Da = 31 mm, L = 2000 mm	■	■	■	■	■	■				1322650A
	Di = 28 mm, Da = 31 mm, L = 20000 mm	■	■	■	■	■	■				1317127A
	Fuel extractor, T-piece										
	L = 50 mm, copper										
	H = 26 mm, 6 x 5 x 6	■	■	■	■	■	■				1319300A
	H = 28 mm, 8 x 5 x 8	■	■	■	■	■	■				1319301A
	Fuel extractor, T-piece										
	L = 50 mm, plastic										
	H = 36 mm, 6 x 5 x 6	■	■	■	■	■	■				1321002A
	H = 38 mm, 8 x 5 x 8	■	■	■	■	■	■				1320192A
	H = 39 mm, 10 x 5 x 10	■	■	■	■	■	■				1321003A
	H = 40 mm, 12 x 5 x 12	■	■	■	■	■	■				1319951A
	H-shaped fuel extractor										
	L = 50 mm, steel zinc coated, Extraction at 90° elbow										
	H = 28 mm, 6 x 5 x 6	■	■	■	■	■	■				1319520A
	H = 28 mm, 8 x 5 x 8	■	■	■	■	■	■				1320574A
	H = 28 mm, 10 x 5 x 10	■	■	■	■	■	■				1320806A
	H = 39 mm, 12 x 5 x 12	■	■	■	■	■	■				1321776A
	Fuel extractor, T-piece										
	L = 50 mm, steel zinc coated										
	H = 33 mm, 5 x 5 x 5	■	■	■	■	■	■				1321996A
	H = 35 mm, 8 x 5 x 8	■	■	■	■	■	■				1320573A
	H = 36 mm, 6 x 5 x 6	■	■	■	■	■	■				1320572A
	H = 37 mm, 10 x 5 x 10	■	■	■	■	■	■				1320804A
	H = 37 mm, 12 x 5 x 12	■	■	■	■	■	■				1320805A


Fuel System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Fuel extractor, T-piece										
	steel zinc coated, 15 x 6 x 15	■	■	■	■	■	■				1320577A
	KKC84/1 holder with heater										
	For interchangeable filters							■			1320016A
	KKC85/1 holder										
	For interchangeable filters							■	■	■	1319823A
	Holder with housing for interchangeable filter										
	L = 135 mm, H = 80 mm, light metal, M14 x 1.5 connection thread							■	■	■	1319291A
	Interchangeable filter										
	For holder 1319291A							■	■	■	1320031A



Fuel System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Fuel filter kit										
	Da = 5 mm, L = 60 mm, plastic transparent, with hose clips and connecting hoses	■	■	■	■	■	■				1319466A
	Fuel hose for boats										
	Di = 5 mm, Da = 15 mm, L = 50 mm	■	■	■	■	■	■				1320857A
	Fuel hose kit										
	Di = 4.5 mm, Da = 10 mm, L = 50 mm, VOME-resistant	■	■	■	■	■	■				1322837A
	Fuel hose										
	Di = 4.5 mm, Da = 9 mm, L = 5000 mm	■	■	■	■	■	■	■	■	■	1321500A
	Di = 4.5 mm, Da = 9 mm, L = 10000 mm	■	■	■	■	■	■	■	■	■	1321502A
	Di = 5 mm, Da = 10 mm, L = 5000 mm	■	■	■	■	■	■	■			1321559A
	Di = 5 mm, Da = 10 mm, L = 10000 mm	■	■	■	■	■	■	■			1321560A
	Di = 6 mm, Da = 11 mm, L = 5000 mm							■	■	■	1321563A
	Di = 6 mm, Da = 11 mm, L = 25000 mm							■	■	■	1321564A
	Di = 8 mm, Da = 13 mm, L = 20000 mm, DIN 73379, with textile ply							■	■	■	1321688B
	Molded hose										
	Di min = 4.5 mm, Di max = 7.5 mm, with reduction, 90°	■	■	■	■	■	■				1319718A


Fuel System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Molded fuel hose										
	Di min = 3.5 mm, Di max = 4.5 mm, RME-resistant, with reduction, 90°	■	■	■	■	■	■				1319677A
	Fuel hose										
	Da = 5 mm, PA12 ETFE										
	Di = 3 mm, L = 12000 mm, blue, with white imprint, for Thermo Pro 90 at a pressure line length of 5 m	■	■	■	■	■	■				9028520A
	Di = 1.5 mm, L = 10000 mm, black	■	■	■	■	■	■				9030532A
	L = 8000 mm, black	■	■	■	■	■	■				9030538A
	L = 11000 mm, black	■	■	■	■	■	■				9030540A
	Di = 1.5 mm, L = 6000 mm, black	■	■	■	■	■	■				9030542A
	Di = 1.5 mm, L = 3000 mm, black	■	■	■	■	■	■				9030543A
	Di = 1.5 mm, L = 1500 mm, black	■	■	■	■	■	■				9030545A
	Metal fuel line kit for boats										
	Da = 5 mm, L = 5000 mm, EN ISO 7840 with screw fasteners, hoses and clips	■	■	■	■	■	■				669588
	Fuel line for boats										
	Di = 1.5 mm, Da = 5 mm, L = 5000 mm, stainless steel	■	■	■	■	■	■				1320860A
	Fuel pump hanger kit										
	also for fastening to stud bolts belonging to the vehicle, for dosing pump DP2 and DP30	■	■		■	■	■				92296A


Fuel System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Fuel pump holder										
	solid rubber, very quiet mounting, bag of 3 pieces	■	■		■	■	■				9023386A
	Tank extracting device, riser pipe										
	Di = 2.6 mm, Da = 5 mm, L = 650 mm, steel zinc coated, 90° extractor connection piece, only for installation in metal tanks	■	■	■	■	■	■				1320399A
	Fuel tank										
	L = 405 mm, W = 94 mm, plastic PE-LD, 12 liters	■	■	■	■	■	■	■			1322707B
	Fuel tank										
	L = 405 mm, W = 200 mm, 24 liters, plastic PE-LD, with assembly kit	■	■	■	■	■	■				1322531A
	Fuel tank installation kit										
	steel zinc coated, for 12-liter tank 9024224B	■	■	■	■	■	■				9025761A




Fuel System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Hose sealing cone										
	Da = 5 mm, L = 30 mm							■	■	■	1319305A
	Da = 6 mm, L = 30 mm							■	■	■	1319702A
	Da = 8 mm, L = 32 mm							■	■	■	1320233A
	Interchangeable filter KC 74-089										
	For holders 1319823A and 1320016A							■	■	■	1320015A
	Interchangeable RME filter										
	For holder 1320017A							■	■	■	1320018A
	Molded fuel hose										
	Di = 4.5 mm, Da = 10.5 mm, 90°										
	VOME-resistant	■	■	■	■	■	■				9023160A
	Fuel hose										
	Di = 4.5 mm, Da = 10.5 mm										
	L = 5000 mm, VOME-resistant	■	■	■	■	■	■				1321612B
	L = 10000 mm, VOME-resistant	■	■	■	■	■	■				1321613A
	L = 50 mm, bag of 20 pieces	■	■	■	■	■	■				9023450A

Fuel System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Fuel hose										
	Di = 3.5 mm, Da = 4.5 mm, L = 50 mm, RME-resistant, with reduction	■	■	■	■	■	■				1320862A
	Reducer pipe										
	D1a = 6 mm, D2a = 8 mm, L = 40 mm, brass							■	■	■	1319590A
	Molded hose										
	Di = 4.5 mm, Da = 10.5 mm, 180°	■	■	■	■	■	■				1319686A
	Screw fittings kit										
	steel zinc coated, for soldered joints, Contents: double connection piece, union nuts, ring seals and sealing cone							■	■	■	1320539A
	Riser pipe										
	Di = 3 mm, Da = 6 mm, L = 322 mm, plastic	■	■	■	■	■	■				1320413A



Fuel System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Support sleeve										
	for reinforcing plastic pipes										
	Da = 6 mm, L = 15 mm, brass, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1321071A
	Da = 7 mm, L = 36 mm	■	■	■	■	■	■	■	■	■	1320164A
	Da = 8 mm, L = 15 mm	■	■	■	■	■	■	■	■	■	1320198A
	Tank extracting device, riser pipe										
	Da = 6 mm, L = 630 mm, steel zinc coated, with return, 90° extractor connection piece, only for installation in metal tanks							■	■	■	1322830B
	Tank extracting device, riser pipe										
	Di = 2.4 mm, Da = 4.2 mm, L = 440 mm, stainless steel, Extractor connection piece, 39 mm long, vertical, for mounting in tank fitting, suitable for plastic tank and metal tank, M6	■	■	■	■	■	■				1322645A
	Tank extracting device										
	Di = 2.4 mm, Da = 4.2 mm, L = 26 mm, steel zinc coated, Extractor connection piece angled at 90°, for mounting in tank fitting, suitable for plastic tank and metal tank, short riser pipe, M6	■	■	■	■	■	■				1322827A
	Tank extracting device										
	Di = 3 mm, Da = 5 mm, L = 39 mm, steel zinc coated, with mounting parts for installation in tank fittings with length compensation	■	■	■	■	■	■				9008021A
	Tank extracting device										



Fuel System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Tank extracting device										
	Di = 3 mm, Da = 5 mm, stainless steel, for fitting in tank ventilation line										
	L = 500 mm	■	■	■	■	■	■				1320836A
	L = 750 mm	■	■	■	■	■	■				1321824B



Hot Air System

		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Elbow				
	Da = 90 mm, black, plastic	■	■		1320706A
	Elbow				
	steel corrosion-resistant, 90°				
	Di = 80.5 mm, Da = 79 mm, L = 115 mm	■	■		1319272A
	Di = 102.5 mm, Da = 99 mm, L = 142 mm	■	■		1319273A
	T-piece				
	L = 110 mm, black, plastic				
	Da = 60 mm	■	■	■	1320474A
	Da = 90 mm	■	■		1320473A
	T-piece				
	Di = 90 mm, Da = 60 mm, black, plastic, with thread	■	■	■	1320476A
	Adapter for heater connection				
	L = 40 mm, black, plastic				
	D1a = 75 mm, D2a = 60 mm			■	1321005A
	D1a = 90 mm, D2a = 80 mm	■			1320186A



Hot Air System

		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Adaptor ring				
	W = 17 mm				
	Di = 55 mm, Da = 60 mm, aluminium	■	■	■	1320224A
	Di = 70 mm, Da = 80 mm, black, plastic, for outlet 1319946A	■	■		1320040A
	Air ducting silencer				
	Di = 90 mm, L = 600 mm, aluminium/plastic	■	■		1321734A
	Air outlet				
	plastic, lockable, bag with wall feed through				
	Da = 60 mm, black	■	■	■	1320206A
	Da = 60 mm, white	■	■	■	1320207A
	Da = 60 mm, grey	■	■	■	1320937A
	Da = 90 mm, black	■	■		1320355A
	Da = 90 mm, white	■	■		1320713A
	Air outlet				
	plastic, axiale flow, bag with wall feed through				
	Da = 60 mm, black	■	■	■	1320934A
	Da = 60 mm, white	■	■	■	1320935A
	Da = 60 mm, grey	■	■	■	1320936A
	Da = 90 mm, grey	■	■		1320711A
	Da = 90 mm, white	■	■		1320712A
	Da = 90 mm, black	■	■		1320932A
	Air outlet				
	Da = 60 mm, D1a = 60 mm, D2a = 60 mm, L = 62 mm, black, plastic, axiale flow, bag with wall feed through	■		■	1322634A


Hot Air System

		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Air outlet				
	L = 65 mm, black, plastic, insert grid, straight, rotating, 90°				
	D1a = 55 mm, D2a = 87 mm	■	■	■	101625
	D1a = 80 mm, D2a = 110 mm	■	■		1322710A
	Air outlet				
	plastic, through flow with bushing, 45°				
	Da = 60 mm, black	■	■	■	1320204A
	Da = 60 mm, white	■	■	■	1320205A
	Da = 60 mm, brown	■	■	■	1320761A
	Da = 60 mm, grey	■	■	■	1320933A
	Da = 90 mm, grey	■	■		1320354A
	Da = 90 mm, black	■	■		1320709A
	Da = 90 mm, white	■	■		1320710A
	Air outlet				
	Da = 90 mm, L = 65 mm, black, plastic, through flow with bushing, 45°	■	■		1320956A
	Air outlet				
	L = 65 mm, black, plastic, through flow, rotatable, with bushing				
	D1a = 55 mm, D2a = 87 mm	■	■	■	107836
	D1a = 80 mm, D2a = 110 mm	■	■		107984
	Air outlet				
	D1a = 60 mm, D2a = 92 mm, L = 98, black, plastic, rotatable, with bushing, with ball-type cover	■	■	■	1322405A

Hot Air System

		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Air outlet				
	D2a = 100 mm, L = 65 mm, black, plastic, lockable, bag with wall feed through				
	D1a = 55 mm	■	■	■	1320812A
	D1a = 70 mm, use for secondary flow only	■	■		1319946A
	Clamp				
	For Bowden Cable 1320785A and 1320786A	■	■	■	1319688A
	Console				
	For mounting flexible pipes with corresponding hose clip	■	■	■	1321044A
	Control cable				
	with grip and outer sleeve, for distributor 1319224A und 1319214A				
	L = 850 mm	■	■	■	1320785A
	L = 1500 mm	■	■	■	1320786A
	Control device for distributor				
	L = 2000 mm, for distributor 1320352A and 1320926A, with control butterfly valve	■	■	■	1319868A


Hot Air System

		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Demist nozzle				
	Da = 55 mm, steel corrosion-resistant	■	■	■	1319470A
	Distributor Y-unit				
	black, plastic				
	Da = 55 mm	■	■	■	1319416A
	Da = 80 mm	■	■		1319212A
	Distributor Y-unit				
	black, plastic				
	D1a = 60 mm, D2a = 60 mm	■	■	■	1320814A
	D1a = 80 mm, D2a = 55 mm, to be used in the secondary flow only	■	■		1320753A
	D1a = 80 mm, D2a = 60 mm	■	■		1320471A
	D1a = 90 mm, D2a = 80 mm	■	■		1320375A
	D1a = 90 mm, D2a = 90 mm	■	■		1320470A
	Distributor				
	black, plastic, with remote control flap valve				
	Da = 55 mm, L = 95 mm	■	■	■	1319224A
	Da = 80 mm, L = 124 mm	■	■		1319214A
	Distributor				
	black, plastic, with control butterfly valve				
	Di = 60 mm	■	■	■	1320352A
	Di = 90 mm	■	■		1320926A

Hot Air System




		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Double fitting				
	black, plastic, for connecting flexible pipes				
	Da = 60 mm, L = 50 mm	■	■	■	1320469A
	Da = 80 mm, L = 75 mm	■	■		1319476A
	Da = 90 mm, L = 50 mm	■	■		1319869A
	Dual Top air intake cover				
	Di = 60 mm, black, plastic		■		1314904A
	End Cap				
	black, plastic				
	Da = 60 mm	■	■	■	1320477A
	Da = 90 mm	■	■		1319870A

Hot Air System






	Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
Flexible exhaust pipe, two-ply				
Di = 55 mm, L = 25000 mm, grey, PAK	■	■	■	1311896C
Di = 80 mm, L = 25000 mm, grey, PAK	■	■		1311900C
Di = 55 mm, L = 20000 mm, AA	■		■	1321503A
Di = 80 mm, L = 1000 mm, AA	■			1321531A
Di = 80 mm, L = 5000 mm, AA	■			1321532A
Di = 80 mm, L = 10000 mm, AA	■			1321533A
Di = 55 mm, L = 2000 mm, grey, PAK	■	■	■	1321580B
Di = 55 mm, L = 5000 mm, grey, PAK	■	■	■	1321581B
Di = 55 mm, L = 10000 mm, grey, PAK	■	■	■	1321722B
Di = 60 mm, L = 2000 mm, grey, PAK	■	■	■	1321504A
Di = 60 mm, L = 5000 mm, grey, PAK	■	■	■	1321505A
Di = 60 mm, L = 10000 mm, grey, PAK	■	■	■	1321727C
Di = 60 mm, L = 25000 mm, grey, PAK	■	■	■	1311898C
Di = 80 mm, L = 2000 mm, grey, PAK	■	■		1321582B
Di = 80 mm, L = 5000 mm, grey, PAK	■	■		1321583B
Di = 80 mm, L = 10000 mm, grey, PAK	■	■		1321729B
Di = 90 mm, L = 2000 mm, grey, PAK	■	■		1321506B
Di = 90 mm, L = 5000 mm, grey, PAK	■			1321508A
Di = 90 mm, L = 25000 mm, grey, PAK	■	■		1311902C
Di = 90 mm, L = 10000 mm, grey, PAK	■	■		1321731C
Di = 60 mm, L = 3000 mm, PAHK	■		■	1321511A
Di = 55 mm, L = 10000 mm, PAK	■		■	1321701B
Di = 55 mm, L = 20000 mm, PAK	■		■	1321703B
Di = 80 mm, L = 10000 mm, PAK	■			1322147B
Di = 55 mm, L = 2000 mm, black, APK	■	■	■	1315889A
Di = 55 mm, L = 5000 mm, black, APK	■	■	■	1321573B
Di = 55 mm, L = 10000 mm, black, APK	■	■	■	1322082A
Di = 55 mm, L = 25000 mm, black, APK	■	■	■	1311891C
Di = 60 mm, L = 2000 mm, black, APK	■	■	■	1321574B
Di = 60 mm, L = 5000 mm, black, APK	■	■	■	1321575C
Di = 60 mm, L = 10000 mm, black, APK	■	■	■	1322083C
Di = 60 mm, L = 25000 mm, black, APK	■	■	■	1311892C
Di = 80 mm, L = 2000 mm, black, APK	■	■		1321576C
Di = 80 mm, L = 5000 mm, black, APK	■	■		1321577B
Di = 80 mm, L = 10000 mm, black, APK	■	■		1321718C
Di = 80 mm, L = 25000 mm, black, APK	■	■		1311893C
Di = 90 mm, L = 2000 mm, black, APK	■	■		1321578C
Di = 90 mm, L = 5000 mm, black, APK	■	■		1321579C
Di = 90 mm, L = 10000 mm, black, APK	■	■		1321719C
Di = 90 mm, L = 25000 mm, black, APK	■	■		1311894C



Hot Air System

		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Insulated hose				
	L = 12000 mm, PAK				
	Di = 80 mm	■	■		1321515A
	Di = 90 mm	■	■		1321517A
	Junction fitting				
	D2a = 60 mm, black, plastic, 45°				
	D1a = 60 mm, L = 145 mm	■	■	■	1320472A
	D1a = 90 mm, L = 146 mm	■	■		1320707A
	Junction fitting				
	Da = 80 mm, L = 370 mm, steel corrosion-resistant, 45°	■	■		1319315A
	Louvre plate				
	L = 190 mm, H = 170 mm, aluminium	■	■	■	1319269A
	Protective screen				
	Di = 60 mm, rubber, for heater intake			■	1320173A

Hot Air System

		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Reducer pipe				
	black, plastic, for flexible pipe				
	D1a = 60 mm, D2a = 55 mm, L = 35 mm			■	1320127A
	D1a = 80 mm, D2a = 55 mm, L = 82 mm	■	■		1319477A
	D1a = 90 mm, D2a = 80 mm, L = 45 mm	■	■		1320185A
	Reducer pipe				
	D1a = 80 mm, D2a = 60 mm, L = 190 mm, steel corrosion-resistant, for flexible pipe	■			1319312A
	Reduction adapter				
	Di = 90 mm, black, plastic, for connecting flexible pipes				
	Da = 60 mm	■	■		1320760A
	Da = 80 mm	■	■		1320925A
	Rubber bellow				
			■		9018647C
	Screen				
	Di = 60 mm, black, plastic, for intake and outlet openings of heater			■	1320163A




Hot Air System

		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Screen (anti-ingress)				
	Di = 80 mm, Da = 112 mm, steel chromed	■			1319308A
	Union nut for outlet				
	L = 60 mm, black, plastic				
	Da = 60 mm	■	■	■	1320922A
	Da = 90 mm	■	■		1320468A
	Wall feed-through				
	black, plastic				
	Da = 60 mm	■	■	■	1320923A
	Da = 90 mm	■	■		1320924A
	Wall pipe				
	L = 73 mm, black, plastic				
	D1a = 87 mm, D2a = 55 mm	■	■	■	1320063A
	D1a = 110 mm, D2a = 80 mm	■	■		1319471A

Water System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Braided protection hose										
	Di min = 26 mm, Di max = 30 mm, polyester										
	L = 1500 mm, chafing guard for polyester water hoses	■	■	■	■	■	■	■	■	■	1322409A
	L = 2000 mm, chafing guard for polyester water hoses	■		■	■	■	■	■	■	■	1322513A
	L = 5000 mm			■	■	■	■	■	■	■	1321596B
	L = 25000 mm	■		■	■	■	■	■	■	■	1321597B
	Connecting piece										
	Da = 18 mm, L = 75 mm, steel corrosion-resistant			■	■	■	■	■	■	■	1319266A
	Connecting pipe										
	Da = 38 mm, L = 100 mm, steel corrosion-resistant, for thermostat								■	■	1319286A
	Connecting pipe										
	L = 65 mm, steel corrosion-resistant, for thermostat										
	Da = 15 mm			■	■	■	■	■	■	■	1319263A
	Da = 18 mm			■	■	■	■	■	■	■	1319519A
	Connecting pipe										
	Di = 15 mm, L = 75 mm, brass			■	■	■	■	■	■	■	1319279A


Water System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Connecting pipe										
	L = 63 mm										
	D1a = 17 mm, D2a = 20 mm, black, plastic			■	■	■	■	■	■	■	1320143A
	D1a = 18 mm, D2a = 22 mm, black, plastic			■	■	■	■	■	■	■	1320155A
	D1a = 20 mm, D2a = 14 mm, aluminium			■	■	■	■	■	■	■	1319722A
	D1a = 20 mm, D2a = 22 mm, black, plastic			■	■	■	■	■	■	■	1319594A
	Hose										
	Di = 15 mm, Da = 22 mm, L = 2400 mm			■	■	■	■	■	■	■	1320300A
	Hose										
	Di = 18 mm, Da = 25 mm, L = 2000 mm, PER-EPDM			■							1322423A
	Filter insert										
	Da = 38 mm, for shutoff valve with filter 1319931A								■	■	1319710A
	Molded hose										
	Di = 18 mm, Da = 25 mm, 90°			■	■	■	■	■			1319418A

Water System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Molded hose										
	Di = 18 mm, Da = 25 mm			■	■	■	■	■			1319401A
	Di = 20 mm, Da = 27 mm			■	■	■	■	■			1319623A
	Molded hose										
	Di = 18 mm, Da = 25 mm			■	■	■	■	■	■	■	1320758A
	Molded hose										
	Di = 18 mm, Da = 25 mm			■	■	■	■	■	■	■	1319419A
	Molded hose										
	D1a = 25 mm, D2a = 25 mm, with reduction			■	■	■	■	■	■	■	1320871A
	Molded hose										
	Di = 20 mm, Da = 28 mm, 180°			■	■	■	■	■	■	■	1320156A


Water System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Molded hose										
	D1a = 22 mm, D2a = 25 mm, with reduction			■	■	■	■	■	■	■	1319402A
	Molded hose										
	Da = 25 mm, 180°										
	Di = 15 mm, L = 580 mm, H = 75 mm				■	■		■			1320790A
	Di = 18 mm, L = 580 mm				■	■	■	■			1319421A
	Di = 18 mm, L = 1100 mm, H = 75 mm				■	■	■	■			1322496A
	Molded hose										
	Di = 18 mm, Da = 25 mm, L = 110 mm, 180°			■	■	■	■	■			1322493A
	Molded hose										
	360°										
	Di = 18 mm, Da = 25 mm, L = 2200 mm			■	■	■	■	■			1319455A
	Di = 18 mm, Da = 25 mm, L = 3000 mm			■	■	■	■	■			1320783A
	Di = 20 mm, Da = 27 mm, L = 2200 mm			■	■	■	■	■			1319268A
	Molded hose										
	Di = 20 mm, Da = 29 mm, L = 2230 mm, with increased wall thickness, 360°			■	■	■	■	■			1319631A



Water System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Molded hose										
	90°										
	Di = 15 mm, Da = 22 mm, L = 1020 mm			■	■	■	■	■	■	■	1320789A
	Di = 18 mm, Da = 25 mm, L = 125 mm			■	■	■	■	■	■	■	1320907A
	Di = 18 mm, Da = 25 mm, L = 500 mm			■	■	■	■	■	■	■	1319953A
	Di = 18 mm, Da = 27 mm, L = 1020 mm			■	■	■	■	■	■	■	1320794A
	Di = 20 mm, Da = 27 mm, L = 130 mm			■	■	■	■	■	■	■	1320147A
	Di = 20 mm, Da = 27 mm, L = 1020 mm			■	■	■	■	■	■	■	1319839A
	Molded hose										
	Di = 38 mm, Da = 47 mm, L = 70 mm, silicone, 90°								■	■	1319934A
	Molded hose										
	Di = 15 mm, Da = 25 mm, silicone, 90°			■	■	■	■	■	■	■	1319717A
	Molded hose										
	Da = 47 mm, silicone, with reduction, 90°								■	■	1319827A
	Molded hose										
	D1a = 44 mm, D2a = 47 mm, silicone, with reduction, 90°								■	■	1319679A

Water System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Molded hose										
	Di = 20 mm, Da = 27 mm, L = 59 mm, with reduction, 90°			■	■	■	■	■	■	■	1319673A
	Molded hose										
	Di = 20 mm, Da = 27 mm, L = 64 mm, W = 47 mm, 180°			■	■	■	■	■	■	■	1320913A
	Reducing hose										
	D1a = 27 mm, D2a = 25 mm, L = 60 mm			■	■	■	■	■	■	■	1320856A
	Reducing hose										
	D1a = 37 mm, D2a = 47 mm, L = 100 mm, silicone								■	■	1320374A
	Thermo Top Evo holding bracket kit										
	For fastening water connection piece of Thermo Top Evo, with seals and screw			■	■						1322832A


Water System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	T-piece										
	L = 75 mm										
	D1a = 15 mm, D2a = 15 mm, steel corrosion-resistant			■	■	■	■	■	■	■	1319289A
	D1a = 18 mm, D2a = 15 mm, steel corrosion-resistant			■	■	■	■	■	■	■	1320532A
	D1a = 18 mm, D2a = 18 mm, black, plastic			■	■	■	■	■	■	■	1321001A
	D1a = 20 mm, D2a = 15 mm, steel corrosion-resistant			■	■	■	■	■			1319290A
	D1a = 20 mm, D2a = 10 mm, steel corrosion-resistant			■	■	■	■	■	■	■	1319846A
	D1a = 20 mm, D2a = 20 mm, brass			■	■	■	■	■			1319602A
	T-piece										
	D1a = 20 mm, D2a = 20 mm, steel corrosion-resistant, with restrictor, restrictor diameter 5.8 mm			■	■	■	■	■	■	■	1319817A
	T-piece										
	Da = 18 mm, L = 75 mm, steel corrosion-resistant, with restrictor, restrictor diameter 4 mm			■	■	■	■	■	■	■	1319800A

Valve

		Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Connecting pipe								
	L = 75 mm, steel corrosion-resistant, with bleeder valve								
	Da = 15 mm	■	■	■	■	■	■	■	1319221A
	Da = 18 mm	■	■	■	■	■	■	■	1319219A
	Da = 20 mm	■	■	■	■	■	■	■	1320989A
	Check valve								
	black, plastic, without leak hole								
	Da = 15 mm, L = 104 mm	■	■	■	■	■	■	■	1320239A
	Da = 15 mm, L = 104 mm	■	■	■	■	■	■	■	1320240A
	Da = 18 mm, L = 90 mm	■	■	■	■	■	■	■	1319250A
	Da = 18 mm, L = 100 mm	■	■	■	■	■	■	■	1319484A
	Check valve								
	Da = 18 mm, L = 104 mm, black, plastic, without leak hole	■	■	■	■	■	■	■	1320563A
	Check valve								
	H = 42 mm								
	D1a = 18 mm, D2a = 18 mm, L = 146 mm, black, plastic, without leak hole	■	■	■	■	■	■	■	1319485A
	D1a = 18 mm, D2a = 18 mm, L = 146 mm, black, plastic, with leak hole	■	■	■	■	■	■	■	1319486A
	D1a = 20 mm, D2a = 20 mm, L = 162 mm, brass, with leak hole	■	■	■	■	■	■	■	1319595A
	Check valve								
	D1a = 18 mm, D2a = 18 mm, L = 82 mm, H = 82 mm, black, plastic, with bypass, without leak hole	■	■	■	■	■	■	■	1319255A



Valve

		Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Combination valve								
	Da = 18 mm, brass / steel coated, with leak hole, starts to open at 40 °C	■	■	■	■	■	■	■	1319650A
	Shutoff valve								
	Da = 38 mm, L = 200 mm, W = 85.5 mm, H = 131 mm, plastic PA66, Operating pressure -0.5 to 4 bar, fluid temperature -30 to 110 °C, weight 0.5 kg, with filter						■	■	1319931A
	Electric valve								
	24 V, Ambient temperature -40 °C to +80 °C, for 6.3 mm tab connectors, for fuel line					■	■	■	1319443A
	Electric valve								
	Da = 20 mm, L = 106 mm, H = 100 mm, 12 V, metal / plastic, 2/2-way, normally open, operating temperature -40 to 85 °C	■	■	■	■	■	■	■	1319981A
	Electric valve								
	Da = 18 mm, L = 84 mm, W = 55 mm, H = 101 mm, 12 V, metal / plastic, 3/2-way, open without power	■	■	■	■	■	■	■	9014606A


Valve

		Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Thermostatic valve								
	L = 108 mm, H = 70 mm, brass / steel coated, with leak hole, starts to open at 59 °C								
	Da = 18 mm	■	■	■	■	■	■	■	1319986A
	Da = 20 mm	■	■	■	■	■	■	■	1320253A
	Thermostatic valve								
	Da = 20 mm, L = 112 mm, brass / steel coated, without leak hole, starts to open at 70 °C	■	■	■	■	■	■	■	1320033A

Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Air heater holding plate										
	stainless steel, for reinforcement on thin body panels	■	■								1320995A
	Anti-vibration mount										
	L = 34 mm, bag of 5 pieces, not suitable for fastening heaters										
	M6	■	■	■	■	■	■				9023020A
	M8	■	■		■	■	■				1319553A
	Cailleau hose clip										
	stainless steel, mounting with special tool, 10 pieces										
	Di = 9.5 mm	■	■	■	■	■	■	■	■	■	9011661A
	Di = 10.5 mm	■	■	■	■	■	■	■	■	■	9011656A
	Dual lock velcro strip										
	L = 50 mm, W = 25 mm, black, plastic, self-adhesive	■	■	■	■	■	■	■	■	■	1320202A
	Edge protector										
	with wire coil, sheet thickness 1 to 4 mm										
	L = 500 mm	■	■	■	■	■	■	■	■	■	1319778A
	L = 700 mm	■	■	■	■	■	■	■	■	■	1320093A

Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Holder for air heaters										
	stainless steel, suitable for various installation options	■	■								1319936A
	Hose and cable holder										
	black, plastic, bag of 5 pieces										
	D1 = 10 – 12, D2 = 19 – 24.5	■	■	■	■	■	■	■			9010999A
	Di = 22 mm, D1 = 22 – 24, D2 = 22 – 24	■	■	■	■	■	■	■			9011000A
	Di = 25 mm, D1 = 25 – 28, D2 = 21.5 – 24	■	■	■	■	■	■	■			9011001A
	Di = 27 mm, D1 = 27, D2 = 27, locking	■	■	■	■	■	■	■			9010997A
	Di = 37 mm, D1 = 37 – 41, D2 = 21.5 – 24	■	■	■	■	■	■	■			9011002A
	Hose clip										
	bolt head with hexagon and cross-head slot										
	Di = 8 mm, steel corrosion-resistant, bag of 20 pieces	■	■	■	■	■	■	■	■	■	1320244A
	Di = 9 mm, steel corrosion-resistant	■	■	■	■	■	■	■	■	■	1320492A
	Di = 10 mm, steel corrosion-resistant, bag of 50 pieces	■	■	■	■	■	■	■	■	■	9023037A
	Di = 12 mm, steel corrosion-resistant, bag of 20 pieces	■	■	■	■	■	■	■	■	■	1320246A
	Di = 14 mm, steel corrosion-resistant, bag of 20 pieces	■	■	■	■	■	■	■	■	■	1320245A
	Di = 14 mm, stainless steel, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1320249A
	Hose clip										
	SW = 7, bolt head with hexagon and cross-head slot										
	Di min = 16 mm, Di max = 25 mm, steel corrosion-resistant, bag of 20 pieces	■	■	■	■	■	■	■	■	■	1320248A
	Di min = 16 mm, Di max = 27 mm, stainless steel, bag of 10 pieces	■	■	■	■	■	■	■	■	■	9015918A
	Di min = 23 mm, Di max = 35 mm, stainless steel, bag of 20 pieces	■	■	■	■	■	■	■	■	■	1320271A
	Di min = 32 mm, Di max = 50 mm, steel corrosion-resistant, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1321064A

Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Hose clip										
	Bolt head with hexagon and slot										
	Di = 40 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320158A
	Di = 48 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320159A
	Di = 70 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320223A
	Di = 72 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320160A
	Di = 78 mm, W = 12.7 mm, stainless steel, SW = 7	■	■	■	■	■	■	■	■	■	1320817A
	Di = 80 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320162A
	Di = 98 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320161A
	Housing cover										
	As replacement when using external temperature sensor, with grommet										1319621A
	Locking compound										
	red, 20 ml, for nuts and bolts	■	■	■	■	■	■	■			1320535A
	Mounting base										
	H = 35 mm, aluminium / steel, for air heaters, for mounting air heaters on the vehicle floor, overall height of 35 mm makes them suitable for very thick carpets / mats / insulation or other cladding	■	■								1321444A

Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Mounting bracket										
	L = 46 mm, W = 25 mm										
	stainless steel, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1320264A
	steel zinc coated, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1320232A
	Mounting strip										
	L = 100 mm, W = 25 mm										
	stainless steel	■	■	■	■	■	■	■	■	■	1319818A
	steel zinc coated, bag of 10 pieces	■	■	■	■	■	■	■	■	■	9007918A
	Pin lock										
	Da = 12.5 mm, steel corrosion-resistant, M6, bag of 10 pieces	■	■	■	■	■	■	■	■	■	9011659A
	Pipe clamp										
	W = 16 mm, stainless steel, for flexible exhaust pipe										
	Di = 24 mm, with carriage bolt	■		■	■	■					1320165A
	Di = 26 mm, nut, welded		■								1320220A
	Pipe clamp										
	steel corrosion-resistant, for flexible exhaust pipe										
	Di = 24 , W = 10.4 mm, with screw	■		■	■	■					1320815A
	Di = 30 , Da = 33 , with carriage bolt						■				1320203A
	Di = 39 , W = 13.5 mm, with screw						■	■			1320194A

Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Pipe clip										
	Di = 18 mm, W = 15 mm, steel zinc coated, 6.5 mm fastening hole	■	■	■	■	■	■	■	■	■	1320042A
	Di = 25 mm, W = 15 mm, stainless steel, 6.5 mm fastening hole, bag of 10 pieces	■	■	■	■	■	■	■	■	■	9023007A
	Di = 28 mm, W = 15 mm, steel zinc coated, 6.5 mm fastening hole, bag of 5 pieces	■	■	■	■	■	■	■	■	■	1320277A
	Di = 33 mm, W = 15 mm, stainless steel, 6.5 mm fastening hole	■	■	■	■	■	■	■	■	■	1320064A
	Di = 42 mm, W = 12 mm, stainless steel, 5.2 mm fastening hole	■	■	■	■	■	■	■	■	■	1319693A
	Di = 42 mm, W = 15 mm, stainless steel, 6.5 mm fastening hole, bag of 5 pieces	■	■	■	■	■	■	■	■	■	1320276A
	Di = 52 mm, W = 15 mm, steel zinc coated, 6.5 mm fastening hole, bag of 5 pieces	■	■	■	■	■	■	■	■	■	1320265A
	Pipe clip										
	rubber-coated pipe clip										
	Di = 5 mm, W = 12 mm, stainless steel, 5.2 mm fastening hole	■	■	■	■	■	■	■			1320195A
	Di = 29 mm, W = 15 mm, steel zinc coated, 6.4 mm fastening hole	■	■	■	■	■	■	■			1320235A
	Di = 34 mm, W = 15 mm, steel zinc coated, 6.4 mm fastening hole	■	■	■	■	■	■	■			1319701A
	Di = 34 mm, W = 20 mm, bag of 10 pieces, steel zinc coated, 8.4 mm fastening hole	■	■	■	■	■	■	■	■	■	1320236A
	Rivet-in nut										
	D1a = 13 mm, D2a = 9 mm, L = 15.5 mm, aluminium, bag of 10 pieces, M6	■	■	■	■	■	■	■	■	■	9011635A
	Rubber ring (anti-chafing device)										
	not permitted for exhaust systems										
	Da = 31 mm, L = 15 mm, black, elastomer, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1321063A
	Da = 40 mm, L = 20 mm, black, elastomer	■	■	■	■	■	■	■	■	■	1312785A
	Da = 45 mm, L = 20 mm, red, EPDM-50	■	■	■	■	■	■	■	■	■	1312780A

Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Self-tapping screw										
	Da = 6 mm, L = 22 mm, steel zinc coated, bag of 10 pieces, SW = 10				■	■					9011669A
	Self-tapping stud bolt										
	steel zinc coated, bag of 10 pieces, M6										
	L = 16 mm				■	■					9006446A
	L = 31 mm				■	■					9009025A
	Spacer bushing										
	aluminium										
	Di = 7 mm, Da = 18 mm, L = 8 mm	■	■	■	■	■	■	■	■	■	1320091A
	Di = 8 mm, Da = 20 mm, L = 5 mm	■	■	■	■	■	■	■	■	■	1320498A
	Di = 8 mm, Da = 20 mm, L = 8 mm	■	■	■	■	■	■	■	■	■	1320499A
	Di = 8 mm, Da = 20 mm, L = 10 mm	■	■	■	■	■	■	■	■	■	1320496A
	Di = 8 mm, Da = 20 mm, L = 15 mm	■	■	■	■	■	■	■	■	■	1320090A
	Di = 8 mm, Da = 20 mm, L = 20 mm	■	■	■	■	■	■	■	■	■	1320088A
	Di = 8 mm, Da = 20 mm, L = 30 mm	■	■	■	■	■	■	■	■	■	1320089A
	Di = 8 mm, Da = 20 mm, L = 40 mm	■	■	■	■	■	■	■	■	■	1319533A
	Spacer nut										
	steel corrosion-resistant, SW = 17, M6										
	L = 15 mm	■	■	■	■	■	■	■	■	■	1320256A
	L = 20 mm	■	■	■	■	■	■	■	■	■	1320241A
	L = 30 mm	■	■	■	■	■	■	■	■	■	1320083A
	L = 40 mm	■	■	■	■	■	■	■	■	■	1319517A


Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Spring clip										
	W = 12 mm, steel corrosion-resistant, bag of 10 pieces										
	Di = 22 mm, black, Space-saving clip, E2	■	■	■	■	■	■	■	■	■	9011662A
	Di = 25 mm, light grey	■	■	■	■	■	■	■	■	■	9009019A
	Di = 25 mm, black, Space-saving clip, E2	■	■	■	■	■	■	■	■	■	9009022A
	Di = 27 mm, dark grey	■	■	■	■	■	■	■	■	■	9009018A
	Di = 27 mm, black, Space-saving clip, E2	■	■	■	■	■	■	■	■	■	9009023A
	Di = 28 mm, black, Space-saving clip, E1	■	■	■	■	■	■	■	■	■	9014607A
	Thermo Top Evo holder										
	steel corrosion-resistant, standard holder			■	■						1320500A
	Thermo Top Evo holder										
	steel corrosion-resistant, for horizontal installation			■	■						1320495A
	Thermo Top Evo holder										
	steel corrosion-resistant, for vertical installation			■	■						1320494A
	Union nut										
	M14 x 1.5 connection thread, SW = 19, bag of 10 pieces							■	■	■	1320243A

Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Air Top Box										
	metal / plastic, for mounting Webasto air heaters on commercial vehicle bodies, with holder and mounting accessories	■	■								9005942B
	Air Top Evo installation box										
	steel, with mounting parts		■								9016392B
	Installation box Air Top 2000										
	steel, enables additional installation options, including heating air adapter	■									86032A
	Installation box Air Top 2000										
	steel, with mounting parts	■									1311609B





Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Adapter wiring harness										
	L = 1600 mm, for Thermo Top C coolant pump	■									1320279A
	Blade fuse										
	6.3 mm, bag of 20 pieces										
	15 A, light blue										9023139A
	20 A, brown										9023141A
	25 A, white										9023142A
	Blocking diode										
	3 A, with connection cables	■	■	■	■	■	■	■			1320826A
	Compartment thermostat										
	L = 75 mm, W = 28 mm, H = 75 mm, black, plastic, mechanical (changeover contact), for vehicle blower						■	■			1320587A
	Compartment thermostat										
	L = 75 mm, W = 28 mm, H = 75 mm, black, plastic, for vehicle blower, mechanical (changeover contact), with on/off switch						■	■			1320415A


Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/50 P	Order number
	Compartment thermostat										
	L = 75 mm, W = 28 mm, H = 75 mm, black, plastic, mechanical (changeover contact) with on/off switch and ventilation										1320416A
	Kit for Thermo Pro 50 Eco plug					■					
	Replacement for 10-pin plug on standard wiring harness, with connection materials										9029701A
	Kit for Thermo Pro 50 Eco plug					■					
	Replacement for 2-pin plug on the standard wiring harness, with connection materials										9029702A
	Kit for Thermo Pro 50 Eco plug					■					
	Replacement for 4-pin plug on standard wiring harness, with connection materials										9029703A
	Extension cable control panel Air Top Standard/MC										
	L = 1800 mm	■	■	■	■						1319724A


Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Fastening base										
	black, plastic, for fuse holders, 1320313A, 1320157A, 1320151A, with screws	■	■	■	■	■	■	■			1320873A
	Flat spring contact										
	0.5 ... 1.5, 2.8 mm, with seals and plugs, bag of 10 pieces	■	■	■		■	■	■			9011664A
	Flat spring contact										
	For fuse holder, watertight, bag of 10 pieces										
	0.5 ... 1.5	■	■	■	■	■	■	■			9011645A
	2.0 ... 3.0	■	■	■	■	■	■	■			9011647A
	4.0 ... 6.0	■	■	■	■	■	■	■			9009029B
	Junior power timer										
	0.5 ... 1, also for blade-type plug, watertight, bag of 10 pieces	■	■	■	■	■	■	■			9011634B
	Micro Quadlok System socket contact										
	0.75, 2.8 mm, for 6-pin watertight plug sleeve casing, bag of 10 pieces	■	■	■		■	■	■			9011666A


Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/50 P	Order number
	Fuse holder										
	black, plastic, for flat fuses SAE J1284, watertight										
	1 A, for 1 A blade fuse, for 6.3 mm tab connector, with slot marking in black	■	■	■	■	■	■	■			1320313A
	5 A, for 5 A blade seal, for 6.3 mm tab connector, with slot marking in beige	■	■	■	■	■	■	■			1320157A
	Fuse holder kit										
	black, plastic, watertight, replaces triple fuse holder on heater wiring harness, contents: 3 1320313A fuse holders and mounting parts (without fuses and mounting bases)	■	■	■		■	■	■			1321809A
	Additional fuse kit										
	black, plastic, watertight, for flat fuses SAE J1284, watertight	■	■	■	■	■	■	■			1301682A
	Heat shrinkable hose										
	Di min = 19 mm, Di max = 38 mm, wall thickness 1 mm, shrinkage rate 2:1, operating temperature range -55 °C to +125 °C										
	L = 100 mm	■	■	■	■	■	■	■			1322452A
	L = 5000 mm	■	■	■	■	■	■	■			1321590A
	IPCU (kit)										
	12 V, black, plastic case, with IPCU module, wiring harnesses and installation instructions, for PWM of vehicle blowers	■			■						9013645A

Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	IPCU module										
	12 V, black, plastic case, for PWM of vehicle blowers	■			■						1322640A
	Kit Dual Top wiring harness old to new										
									■		1320837A
	Plug kit										
	Replacement for 2-pin plug on the fuel pump wiring harness, with connection materials and assembly instructions, for fuel pump DP 42			■	■	■	■				1318966A
	Plug sleeve casing										
	For 6.3 mm receptacles, 1-pin, bag of 20 pieces	■	■	■	■	■	■	■			1320229A
	Plug sleeve casing										
	for fuel pump or extensions, watertight, bag of 5 pieces										9021277A

Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/50 P	Order number
	Plug sleeve casing										
	for 6.3 mm tab receptacles, 2-pin	■	■	■	■	■	■	■			1319698A
	Plug sleeve casing										
	for 6.3 mm tab receptacles, 4-pin, bag of 10 pieces										1321698A
	Plug sleeve casing										
	for 6.3 mm tab receptacles, 6-pin, bag of 10 pieces	■	■	■	■	■	■	■			1321670A
	Programming wiring harness										
		■				■	■				1319879B
	Relay (changeover contact) kit										
	12 V, black, plastic case, with connector housing and flat fuses	■	■	■	■						9023375A


Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Relay (changeover contact) with freewheeling diode										
	24 V, Protection class IP67, with mounting tab for M5 screw										1320214A
	Relay (changeover contact)										
	12 V, black, plastic case, protection class IP67, without mounting tab	■	■	■	■						1320947A
	Relay (changeover contact)										
	12 V, grey, plastic case, with included mounting tab, freewheeling diode	■	■	■	■						1319954A
	Relay base										
	without mounting tab, for standard relay	■	■	■	■	■	■				1320538A
	Relay base										
	with mounting tab, for standard relay	■	■	■	■	■	■				1320540A


Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/50 P	Order number
	Resistor kit										
	W = 46 mm, H = 20 mm, 40 W, 0.9 Ω, with plugs and fastening parts	■			■						97981A
	Single-wire seal										
	Da = 4.1 mm, L = 9 mm, green, 0.5 ... 0.75, bag of 20 pieces	■	■	■	■	■	■	■			9011955A
	Da = 5.4 mm, L = 8 mm, white, 1.5 ... 2.5, bag of 10 pieces	■	■	■	■	■	■	■			9011627A
	Da = 5.4 mm, L = 8 mm, light blue, 0.35 ... 1.00, bag of 20 pieces	■	■	■	■	■	■	■			9011626A
	Da = 5.6 mm, L = 8 mm, red, for MTA-fuse holder, bag of 20 pieces	■	■	■	■	■	■	■			9011631A
	Tab connector										
	1 ... 2.5, 0.5 mm, for watertight plug connections, with seals and plugs, bag of 2 pieces	■	■	■		■	■	■			9011628A
	Plug sleeve casing										
	0.5 mm, 2-pin, watertight, bag of 5 pieces	■	■	■		■	■	■			9011632B
	Tab connector housing										
	for 6.3 mm tab connector, 1-pin, bag of 20 pieces										9006460A

Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Tab connector housing										
	for 6.3 mm tab receptacles, 2-pin, bag of 20 pieces	■	■	■	■	■	■	■			1320230A
	Tab connector housing										
	for 6.3 mm tab receptacles, 4-pin	■	■	■	■	■	■	■			1319699A
	Tab connector housing										
	for 6.3 mm tab receptacles, 6-pin, bag of 20 pieces	■	■	■	■	■	■	■			1320231A
	Tab connector housing										
	for 6.3 mm tab receptacles, 8-pin, bag of 10 pieces	■	■	■	■	■	■	■			1321669A
	Tab connector housing										
	for standard wiring harness, 2-pin, watertight, with flat spring contacts and single-wire seals	■									9021719A

Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Repair kit for Thermo Top C wiring harness										
	with 2-pin and 6-pin socket housings, flat spring contacts and single-wire seals	■				■					9011968A
	Tab receptacle										
	6.3 mm, for cable cross section 0.5 - 1.0 mm², bag of 10 pieces	■	■	■	■	■	■	■			9011636A
	6.3mm, for cable cross section 1.0 mm², bag of 10 pieces	■	■	■	■	■	■	■			9011652A
	6.3mm, for cable cross section 2.5 mm², bag of 10 pieces	■	■	■	■	■	■	■			9011641A
	6.3 mm, for cable cross section 2.5 mm², bag of 50 pieces	■	■	■	■	■	■	■			1320228A
	Tab receptacle										
	bag of 10 pieces										
	for cable cross section 0.8 - 2.5 mm²	■	■	■	■	■	■	■			9011640A
	for cable cross section 4.0 - 6.0 mm²	■	■	■	■	■	■	■			9014955A
	Temperature sensor										
	Closes at 40 °C	■				■	■	■			1322511A
	Temperature sensor external										
	L = 5000 mm		■								1319842A

Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Temperature sensor external										
	L = 2500 mm		■	■							9030881A
	L = 5000 mm		■								9030883A
	L = 5000 mm, with housing cover		■	■							93205A
	L = 20000 mm, with housing cover			■							92649B
	Temperature switch										
	Closes at 2 °C, for operating the parking heater as an auxiliary heater										1319804A
	Closes at 10 °C, for operating the parking heater as an auxiliary heater										1321617A
	Closes at 12 °C, for operating the parking heater as an auxiliary heater										9030618A
	Holder										
	For temperature switch, for mounting the temperature switch on the vehicle										1319805A
	Thermo Top C dummy plug										
	if coolant pump is omitted, with resistor	■									1319667A
	Thermo Top C wiring harness extension										
	for standard wiring harness	■				■					1319720A

Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/50 P	Order number
	Thermo Top Evo plug kit										
	Replacement for 2- and 6-pin plugs on standard wiringharness, with connection materials				■						1319023A
	Y adapter for wiring harness										
	for retrofitting ThermoCall with Telestart already fitted					■			■		1319820A
	Y adapter for wiring harness										
	Telestart digital timer 1533 connection	■									1319873A
	Extension cable										
	230 V, orange										
	L = 1000 mm, incl. safety lock									■	1325982A
	L = 1500 mm									■	1325983A
	Fixation for mounting cable										
										■	1325987A


Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	House connecting cable										
	230 V, black										
	L = 2500 mm									■	1325978B
	L = 5000 mm									■	1325980B
	L = 10000 mm									■	1325981B
	L = 3500 mm									■	1325985B
	House connecting cable angled										
	L = 2500 mm, 230 V, angled, black									■	1325979B
	Mounting cable										
	L = 1500 mm, orange, incl. safety lock and installation kit									■	1325969B
	Relay contact										
										■	1325971A
	Safety lock inlet										
	for mounting and extension cable									■	1325972A


Electrical Accessories

		Thermo Top C/E	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	DBW 2010/2016	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Installation kit mounting cable complete										
										■	1325988A
	Mounting plate										
										■	1325974A
	Harness Blower Control										
	for blower control eThermo Top Eco to Thermo Top Evo									■	1325724A

Maintenance and Diagnostics

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Dual Top Evo	Thermo 230/300/350	DBW 2010/2016	Thermo S 230/300/350/400	Order number
	Adapter cable, PC diagnosis											
	also for upgrade kit (digital timer 1533 or Telestart)	■	■	■	■	■	■	■				1319503A
	Adapter cable, PC diagnosis					■						1319943A
	Adapter cable, PC diagnosis	■										1319940A
	Adapter cable, PC diagnosis								■			1320899A
	Adapter cable, PC diagnosis								■			1319945A
	Thermo 230/300/350 (Van Hool)											

Maintenance and Diagnostics

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Dual Top Evo	Thermo 230/300/350	DBW 2010/2016	Thermo S 230/300/350/400	Order number
	Adapter cable, PC diagnosis											
	Thermo 230/300/350 (Mercedes / Citaro)								■			1319685A
	Adapter cable, PC diagnosis											
				■								1319941A
	Adjusting tool											
	for ignition electrodes									■		1320998A
	PC Diagnosis Kit											
	USB and serial port, for Windows operating system	■	■	■	■	■	■	■	■	■	■	1320920A

Webasto subsidiaries and representatives

Head Office

Webasto Thermo & Comfort SE

Friedrichshafener Straße 9
82205 Gilching
Tel.: +49 89 85794-0
www.webasto.com

Argentina

FRIBA TECNOLOGÍA S.A.

Av. Pavón 4080/84
C1253AAY Buenos Aires
Phone: +54 11 49242117
www.friba.com.ar

Australia

Webasto Thermo & Comfort

Australia Pty. Ltd.

423-427 The Boulevard
NSW 2232 Kirrawee
Phone: +61 2 85364800
webasto.com.au

Austria

Webasto Fahrzeugtechnik G.m.b.H.

Jochen-Rindt-Straße 19
1230 Vienna
Phone: +43 1 6043780
www.webasto.at

Belarus

Falkat GmbH

Ul. Drozda 8
220004 Minsk
Phone: +375 17 2001894
www.falkat.com

Benelux

Webasto Thermo & Comfort

Benelux B.V.

Constructieweg 47
8263 BC Kampen
Phone: +31 38 3371137
www.webasto.nl

Brazil

Webasto Thermo & Comfort – LA-TAM

Av. Padre Manoel da Nóbrega,
355 – A31 – Campinas – SP
13061 – 140 – Brasil
Phone: +55 19 9 9504 5151
www.webasto.com/br

Bulgaria

Rhea MP GmbH

ul. Boris Iliev 17
1839 Sofia
Phone: +359 2 9420555
www.rheamp.com

Chile

Webasto Thermo & Comfort - LATAM

Hermanos Cabot 6707 - Dpt. 126
Las Condes – Santiago de Chile
7561255 – Chile
Phone: +56 (9) 4683 1100
www.webasto.es

China

Webasto Thermo & Comfort Technology (Beijing) Co. Ltd.

A 2105, Building 2,
Boya International Center
No. 1 Lize Zhongyi Road
Chaoyang District
100102 Beijing
Phone: +86 10 84782320
www.webasto.cn

Czech Republic

Webasto Thermo & Comfort Czech Republic s.r.o.

Na Strži 1373/35
14000 Praha 4
Phone: +420 241045450-7
www.webasto.cz

Denmark

Webasto Thermo & Comfort Denmark A/S

Islevdalvej 180
2610 Rødovre/Copenhagen
Phone: +45 44522000
www.webasto.dk

Estonia

AS KG KNUTSSON

Saeveski 12
11214 Tallinn
Phone: +372 6 519300
www.kgk.ee

Finland

Oy Kaha AB

Ansatie 2
01740 Vantaa
Phone: +358 9 61568379
www.kaha.fi

France

Webasto Thermo & Comfort France S.A.S.

PA Estuaire Sud
Rue du Camp d'Aviation
44320 Saint Viaud
Phone: +33 (0) 2 40 21 85 50
www.webasto-france.fr

Germany

Webasto Thermo & Comfort SE

Friedrichshafener Straße 9
82205 Gilching
Phone: +49 (0) 395 5592-229
www.webasto.de

Great Britain

Webasto Thermo & Comfort UK Ltd.

Webasto House
White Rose Way
Doncaster
South Yorkshire DN4 5JH
Phone: +44 (0) 1302 322232
www.webasto.co.uk

Webasto subsidiaries and representatives

Greece

SYSTEMS S.A.

73rd, Agias Annis street
18233 Rentis
Phone: +30 210 3472105
www.systemssa.gr

Hungary

Webasto Thermo & Comfort Hungária Kft.

Szent László út 73
1135 Budapest
Phone: +36 1 3502338
www.webasto.hu

Iceland

Bilasmidurinn hf.

Bíldshofda 16
110 Reykjavík
Phone: +354 5672330
www.bilasmidurinn.is

India

Webasto Roofsystems India Pvt. Ltd.

Ghat 838/1, Pune Nagar Highway
District: Sanaswadi
412208 Pune
Phone: +91 2137619902
www.webasto.com

Italy

Webasto Thermo & Comfort Italy S.r.L.

Via Efrem Nobili 2
40062 Molinella (BO)
Phone: +39 051 6906 111
www.webasto.it

Japan

Webasto Thermo & Comfort Japan Co. Ltd.

3-19-5 Shin-Yokohama Kohoku-ku
Kanagawa Prefecture
222-0033 Yokohama
Phone: +81 45 4741761
www.webasto.co.jp

Kazakhstan

Webasto Thermo & Comfort Kazakhstan LLP

Alash High Road office No. 101, 22
010000 Astana city
Phone: +7 383 3637115
www.webasto.ru

Latvia

KG Knutsson SIA

Gunara Astras iela 3
1084 Riga
Phone: +371 67 807 870
www.webasto.lv

Lithuania

UAB KG Knutsson

Jocionių g. 14
02300 Vilnius
Phone: +370 2758181
www.kgk.lt

Moldavia – via Webasto Romania

Webasto Romania Trading S.R.L.

Sos Odai, nr.40
075100 Otopeni, Ilfov
Phone: +40 21 2032751
www.webasto.ro

Mongolia - via Webasto China

Webasto Thermo & Comfort Technology (Beijing) Co. Ltd.

A 2105, Building 2, Boya International
Center
No. 1 Lize Zhongyi Road
Chaoyang District
100102 Beijing
Phone: +86 10 84782320
www.webasto.cn

Netherlands

Webasto Thermo & Comfort Benelux B.V.

Constructieweg 47
8263 BC Kampen
Phone: +31 38 3371137
www.webasto.nl

Norway

Webasto Thermo & Comfort Norway

Industriveien 34A
2072 Dal
Phone: +47 61162000
www.webasto.no

Poland

Webasto Petemar Sp. z o.o.

ul. Warszawska 205/219
05-092 Lomianki
Phone: +48 22 7327320
www.webasto.pl

Romania

Webasto Romania Trading S.R.L.

Sos Odai, nr.40
075100 Otopeni, Ilfov
Phone: +40 21 2032751
www.webasto.ro

Russia

Webasto Rus OOO

Altajskaja ul. 19, 1/a
107065 Moscow
Phone: +74 95 7770245
www.webasto.ru

Slovakia

Webasto Thermo & Comfort Slovakia s.r.o.

Galgovecká ulica 3
040 11 Košice
Phone: +421 5 57871000
www.webasto.sk

Slovenia

Webasto Thermo & Comfort avtomobilska tehnika d.o.o.

Cesta v Gorice 34
1000 Ljubljana
Phone: +386 1 2008712
www.webasto.si

Webasto subsidiaries and representatives

South Korea

Webasto Korea Inc.

Indeogwon IT Valley,
40 Imi-ro, Bldg. B, Suite 612
16006 Uiwang-si, Gyeonggi-do
Phone: +82 31 80170241
www.webasto.kr

Spain

Webasto Thermo & Comfort Ibérica S.L.U.

C/Mar Tirreno 33
Polígono Industrial
28830 San Fernando de Henares
(Madrid)
Phone: +34 91 626 86 11
www.webasto.es

Sweden

KG Knutsson AB

Hammarbacken 8
19181 Sollentuna. Stockholm
Phone: +46 8 923000
www.kgk.se

Switzerland

Lorch AG

Kriesbachstrasse 4
8600 Dübendorf
Phone: +41 (0) 44 299 98 98
www.webasto.ch

Turkey

Webasto Thermo Comfort

İklimlendirme Sistemleri

Ticaret Limited Şirketi

Manisa Organize Sanayi Bölgesi 4.
Kısım
Ahmet Nazif Zorlu Bulvarı No: 8
45030 Merkez / Manisa
Phone: +90 236 226 90 00
www.webasto.com.tr

USA


Webasto Thermo & Comfort North America Inc.

15083 North Road
48430 Fenton. Michigan
Phone: +1 810 5936100
www.webasto.us

Ukraine

Webasto Thermo & Comfort Ukraine LLC

Chervonopraporna str. 28
03045 Kiev
Phone: +380 (044) 503 31 76
www.webasto.com/ua



For more than 75 years, the Webasto group has continued to set new technological standards – in both the original equipment sector and the aftermarket. As one of the 100 biggest suppliers in the automotive industry worldwide, we develop and produce roof, convertible as well as heating, cooling and ventilation systems. Our products help provide a better atmosphere on the road, more comfort and security, as well as increased efficiency for cars, commercial and special vehicles, motor homes and boats. An outstanding network of production facilities and dealers guarantees high-quality products, installation standards and services worldwide.